




House for Sale

Scoceria 2811 Punta Carretas, Montevideo



Sale: US\$ 850,000

Property type: Home

Operation: Sale

- **Land:** 430.0 sqm
- **Building:** 430.0 sqm
- **Front measurement:** 25.0 m
- **Background measurement:** 10.0 m
- **Bedrooms:** 6
- **Bathrooms:** 3
- **Construction Quality:** Luxury
- **environments:** 10

- | | | | |
|-------------------------------|-----------------|-------------|----------------|
| • Kitchen | • Water | • Cable | • Electricity |
| • Natural gas | • Internet | • Pavement | • Phone |
| • Loft | • Balcony | • Library | • Dinning Room |
| • Dining room | • Desk | • Hall | • Yard |
| • Laundry | • Living room | • Courtyard | • suite room |
| • Individual air conditioning | • Alarm | • Furnished | • Heating |
| • Gym | • Sports Center | • Garage | • Deck |
| • Security | • Hydromassage | • Grill | • Game room |
| | • Solarium | • SUM | |

Property status

Age: 1970

Description

Luxurious House in the heart of Punta Carretas, 4 levels built, excellent condition, ideal for Embassy or Company, all rooms with Air Conditioning and 220 and 110 voltage, Boiler for all bathrooms at the same time and Gas heating, Spacious , comfortable and very illuminated. Its rooms are large and modern in design. 3 bedrooms with dressing room, barbecue and barbecue. parking for two large vehicles with automatic gate, automatic generator. The design of the whole house is very comfortable, it invites you to visit it and stay in it.

Real Estate Commission 3% + VAT


Location



Scoceria 2811 , Punta Carretas, Montevideo




References





Photo Catalog











FORUM - Av. Prof. Dr. Euclides Peluffo 1649 GSS104, Buceo, Montevideo
T 099170152 | contacto@c21alpha.com.uy | <https://c21alpha.com.uy>

Property subject to availability.

Price subject to change without notice.

The sending of this file does not commit the parties to the subscription of any legal document. The information and measurements are approximate and must be confirmed with the relevant documentation.