



Virginia Benoit Cassou

CENTURY 21.

Alpha

ID: 6015

vbenoit@c21alpha.com.uy
+59899896569



Condominium for Sale

Punta Carretas, Montevideo



Sale: US\$ 103,684

Maintenance : US\$ 3.5 por m2

Property type: Condominium

Operation: Sale

- **Land:** 38.0 sqm
- **Building:** 31.0 sqm
- **Bathrooms:** 1
- **Stories:** 4
- **Kitchen:** Full kitchen
- **Condition:** New
- **Number of Elevators:** 2
- **Number Of Houses:** 51
- **Construction Quality:** High
- **environments:** 1

- | | | | |
|----------------|--------------------------|------------------|---------------|
| • Water | • Cable | • Sewer | • Electricity |
| • Internet | • Pavement | • Phone | • Balcony |
| • Pet friendly | • Deck | • Gym | • Bright |
| • Grill | • A / C pre-installation | • Public laundry | |

Property status

State: New

Age: 2026

Without Mortgage: Yes

Description

Located in the heart of Punta Carretas, one of the most revalued neighborhoods per m2 and most in demand for the enormous variety of services, with a very special design, this beautiful 4-story project will be built, plus a ground floor, with 11 units per floor. , studio apartments, 1 and 2 bedrooms, with different lengths. ASK FOR THEM!

In the basement it will have 28 parking spaces.

On the top floor there will be a variety of amenities:

- 2 barbecues for common use,
- equipped gym,
- large solarium,
- laundry,
- 5 barbecues for the exclusive use of the units that wish to do so.

WITH UNIQUE PRICES AND WITHOUT OCCUPATION EXPENSES! It is a unique opportunity for investors and for those looking for their own home.

EXPECTED DELIVERY DATE: March-2026.

Location

, Punta Carretas, Montevideo

References





FORUM - Av. Prof. Dr. Euclides Peluffo 1649 GSS104, Buceo, Montevideo
T 099170152 | contacto@c21alpha.com.uy | <https://c21alpha.com.uy>

Property subject to availability.

Price subject to change without notice.

The sending of this file does not commit the parties to the subscription of any legal document. The information and measurements are approximate and must be confirmed with the relevant documentation.