



José Luis González
Briceño

CENTURY 21.
East Coast

ID: 6594
jlgonzalez@c21eastcoast.com.uy
+59892235085



Condominium for Sale

Edificio Cabo San Lucas 3 Punta del Este, Maldonado



Sale: US\$ 345,000

Maintenance : 710

Property type: Condominium

Operation: Sale

- **Land:** 144.0 sqm
- **Building:** 80.0 sqm
- **Bedrooms:** 3
- **Bathrooms:** 2
- **Parking lots:** 2
- **Stories:** 5
- **Condition:** Good
- **Construction Quality:** Middle - High
- **environments:** 3

- | | | | |
|----------------------|-----------------|----------------------|---------------|
| • Kitchen | • Pool | • Water | • Cable |
| • Sewer | • Electricity | • Internet | • Pavement |
| • Phone | • Balcony | • Laundry | • Living room |
| • Courtyard | • suite room | • Furnished | • Heating |
| • Underground garage | • Deck | • Internal lot | • Grill |
| • Swimming pool | • Security | • Solarium | • Reception |
| • Terrace | • Entrance ramp | • Private parking: 2 | |

Property status

State: Good
Age: 2008
Without Mortgage: Yes

Description

Hermoso departamento de 3 dormitorios, el principal en suite ubicado en la península de Punta del Este. Living comedor con terraza a la calle, 3 dormitorios, 2 baños, cocina definida con lavadero. Posee como distintivo un patio de uso exclusivo con parrillero, pileta y deck solarium. El edificio cuenta con amenities tales como portería 24hs, servicio de mucama cada 3 días en temporada de verano y una vez cada 2 semanas fuera de la misma, piscina común climatizada y gimnasio.

2 cocheras propias

Location

Edificio Cabo San Lucas 3 , Punta del Este, Maldonado

References










Photo Catalog











Av. Roosevelt y Av. Orlando Pedragosa Sierra,Punta del Este, Maldonado
T 099170152 | contacto@c21eastcoast.com.uy

Property subject to availability.

Price subject to change without notice.

The sending of this file does not commit the parties to the subscription of any legal document. The information and measurements are approximate and must be confirmed with the relevant documentation.