CENTURY 21.

Virginia Benoit Cassou

ID: 8621 vbenoit@c21alpha.com.uy +59899896569



Condominium for Sale

Florida 1231 Barrio Sur, Montevideo



Sale: US\$ 123,000

Property type: Condominium Operation: Sale

Land: 53.9 sqm
Building: 44.4 sqm
Bedrooms: 1
Bathrooms: 1
Stories: 6

• Kitchen: Full kitchen

Land: regularCondition: New

Number of Elevators: 1

• Floor number: 1

Number Of Houses: 10Construction Quality: High

• environments: 2

• Water • Cable

• Internet • Pavement

Living room
 Pet friendly

• A / C pre-installation • Solarium

Sewer

• Phone

• Bright

• SUM

Electricity

Balcony

• Grill

Elevator

Property status

State: New Age: 2025

Without Mortgage: Yes

Description

- 1 bedroom apartment for sale at the front with balcony in Barrio Sur, just 3 blocks from the Rambla!
- Immersed in a strategic area near faculties and educational centers, gastronomic venues and nightlife, very close to Solís.
- 35.75 m2 interior
- 2.54 m2 balcony
- bedroom 9.85 m2
- The building is distributed over 6 floors, ground floor and 5 levels, with 10 units with 1 and 2 bedrooms and 5 garages
- very well distributed and projected, achieving clear views, taking advantage of orientation and functionality.
- On level 6 it has the amenities: living room with barbecue, sky terrace and cowork room.
- architecture and design,
- functional and dynamic spaces.
- *** Protected by the Promoted Housing Law 18,795 with all its tax benefits:
- Personal income tax exemption on rent for 10 years.
- ITP exemption in the 1st sale
- Wealth Tax exemption for 10 years.

Connection costs: 4%.

Real estate commission: 3% plus VAT.

Location

Florida 1231, Barrio Sur, Montevideo

References




Photo Catalog















FORUM - Av. Prof. Dr. Euclides Peluffo 1649 GSS104,Buceo, Montevideo T 099170152 | contacto@c21alpha.com.uy | https://c21alpha.com.uy

Property subject to availability.

Price subject to change without notice.

The sending of this file does not commit the parties to the subscription of any legal document. The information and measurements are approximate and must be confirmed with the relevant documentation.