



LUCIA SALNITRO

CENTURY 21

East Coast

ID: 9010

lsalnitro@c21eastcoast.com.uy

+59897492959



Condominium for Sale

rambla doctor claudio william y cruz del sur edificio Sea Brezees Punta del Este, Maldonado



Sale: US\$ 227,000

Maintenance : 15,500

Property type: Condominium

Operation: Sale

- **Land:** 70.0 sqm
- **Building:** 70.0 sqm
- **Bedrooms:** 1
- **Bathrooms:** 1
- **Parking lots:** 1
- **Stories:** 4
- **Land:** regular
- **Number of Elevators:** 4
- **Floor number:** 4
- **Number Of Houses:** 32
- **Construction Quality:** High

- Kitchen
- Laundry

- Pool
- Living room

- Pets Allowed
- Courtyard

- Balcony
- Individual air conditioning
- Heating
- Underground garage
- Bright
- Game room
- Elevator

- Aire Acondicionado Central
- Garage
- Grill
- Security

- Furnished
- Central heating
- Car saves space
- Swimming pool
- 24 hour security

- Pet friendly
- Individual heating
- Gym
- Public laundry
- Solarium

Property status

Age: 2015

Without Mortgage: Yes

Description

Spectacular apartment for sale. Located on the front line, on stop 27 of Playa Mansa.

This apartment has a bedroom, a bathroom, an integrated kitchen, a living-dining room and a large terrace with a barbecue.

Large spaces and great construction quality. Air conditioning in all rooms.

Building amenities: maid service, outdoor and indoor pool, 24-hour reception, children's room, adult room, gym, saunas, beach service in summer.

Contact us for more information

Location

rambla doctor claudio william y cruz del sur edificio Sea Brezees , Punta del Este, Maldonado

References








Photo Catalog







Av. Roosevelt y Av. Orlando Pedragosa Sierra, Punta del Este, Maldonado
T 099170152 | contacto@c21eastcoast.com.uy

Property subject to availability.

Price subject to change without notice.

The sending of this file does not commit the parties to the subscription of any legal document. The information and measurements are approximate and must be confirmed with the relevant documentation.

